

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	405	electrode with high with low with resistance with resistor	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/08/11 12:39
L2	282	1 and @py<"2005"	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/08/11 12:39
L3	417	two with part with electrode with resistor	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/08/11 12:43
L4	303	3 and @py<"2005"	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/08/11 12:43
L5	35	two adj part with electrode with resistor	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/08/11 12:43
L6	71087	electrode with resistor	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/08/11 12:54
L7	32	6 with biosensor	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/08/11 12:54
L12	61	(two with part with electrode with resistor). clm.	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/08/11 13:51
L17	2	("6551493").PN.	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/08/11 13:59
L20	2	"20020170825"	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/08/11 14:56
L21	39	(dijia with huang).in.	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/08/11 15:30
L22	128	(steven with charlton).in.	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/08/11 15:30
L23	11	(sunny with george).in.	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/08/11 15:30
L24	45	(andrew with edelbrock).in.	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/08/11 15:30
L25	182	L21 or L22 or L23 or L24	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/08/11 15:30
L26	2	25 and resistor	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/08/11 15:31

L27	32	25 and resist\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/08/11 15:31
L28	0	(bayer with healthcare).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/08/11 15:32
L29	3463	(bayer with healthcare).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/08/11 15:32
L30	327	29 and resist\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/08/11 15:32
L31	15	29 and resistor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/08/11 15:32
S1	2	("7037812").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/05 15:47
S2	2	"20060262163"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/05 15:48
S3	1	(flow with path with sample with electrode with work\$3 with counter\$3 with reagent with resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/05 16:27
S4	228	electrode with high with low with lead with resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/05 16:30
S5	2	("5352357").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/05 16:37
S6	339971	electrode with first with second lead with high with low with resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/05 16:38
S7	18	electrode with first with second with lead with high with low with resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/05 16:38
S8	30	ep with "1074832"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/05 16:41
S9	3	ep with "0732406"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/05 16:43
S10	2	("6531040").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/05 16:45
S11	2	("6841052").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/05 16:48
S12	15	resistor with electrode with glucose with sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/05 16:50
S13	50	counter with electrode with high with low with resistance	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/05 16:53

S14	0	decay with shape with current with profile with glucose	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 09:00
S15	2	(decay with shape with current with profile) and (electrochemical with sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 09:01
S16	2	("5620579").FN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/08 10:48
S17	0	glucose with sensor with fill with indicator with resistor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 10:51
S18	5350	(counter or reference) with electrode with resistor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 10:51
S19	5	S18 and (resistor with screen with print)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 10:51
S20	1367	(counter or reference) with electrode with (multiple or two or (high and low)) with (parts or resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 10:53
S21	31	("4172770" "4549952" "5120420" "5141868" "5192415" "5264103" "5352351" "5575403" "5582697" "5628890" "5653863" "5798031" "6531040" "6841052" "7125481").FN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 10:57
S22	70760	"31" and ((counter or reference) with electrode)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 11:01
S24	21	S21 and ((counter or reference) with electrode)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 11:02
S25	0	S21 and ((counter or reference) with electrode with resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 11:02
S26	0	S21 and (electrode with resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 11:02
S27	1	S21 and (resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 11:02
S28	0	(electrochemical with sensor) and (electrode with resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 11:04
S29	645	(electrochemical with sensor) and (electrode with resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 11:04
S30	234	S29 and glucose	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 11:04
S31	36	S30 and (counter with resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 11:04
S32	0	electrode with (high and low) with resistance with resistor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 11:09

S33	438	electrode with (high and low) with resistance with resistor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 11:09
S34	22	S33 and (electrochemical with sensor) S24	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 11:10
S35	1	S33 and (electrochemical with sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 11:10
S36	1	S33 and (glucose)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 11:10
S37	3	S33 and (screen with print)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 11:10
S38	68897	ueno.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 11:11
S39	144	S38 and (counter with electrode)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 11:11
S40	1	"10590834"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 11:44
S41	14	read-to-burn with ratio	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 11:49
S42	3	"09861437"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 12:12
S43	2	("6841052").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/08 12:12
S44	1711	"resistor function"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 18:18
S45	345177	resistor with connect\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 18:18
S46	38	S44 and (electrochemical with sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 18:18
S47	888	S45 and (electrochemical with sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/08 18:18
S48	150	(upstream with downstream with counter with electrode)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/09 09:25
S49	0	(upstream with downstream with counter with electrode with resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/09 09:25
S50	13	(upstream with downstream with counter with electrode) and resistor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/09 09:32
S51	2672075	resistor with resistance with "50" or "500" or "250" or "250" or "100" with kOmega	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/09 09:36

S52	8	resistor with resistance with ("50" or "500" or "250" or "250" or "100") with kOmega	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/09 09:36
S53	2	"20070045127"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/09 09:42
S54	30	resistor with underfill	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/09 09:43
S55	2	("6890715").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/09 09:45
S56	2	("6814894").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/09 16:37
S57	3	("6814844").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/03/09 16:37
S58	3	((resistive near3 ink) with counter with electrode)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/09 16:41
S59	1	"10567028"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/10 08:45
S60	5052	204/401,403.1- 403.14,409,406.06,412,411,416-418.ccls. or 205/775,778,792,789,775.5.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/10 10:18
S61	2	S60 and (electrode with high with low with lead with resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/10 10:18
S62	0	S60 and (glucose with sensor with fill with indicator with resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/10 10:18
S63	0	S60 and (sensor with fill with indicator with resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/10 10:19
S64	0	S60 and (fill with indicator with resistor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/10 10:19
S65	38	(dijia with huang).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/10 10:19
S66	122	(steven with charlton).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/10 10:19
S67	11	(sunny with george).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/10 10:19
S68	44	(andrew with edelbrock).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/10 10:19
S69	175	S65 or S66 or S67 or S68	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/10 10:20

S70	1	S69 and (electrode with high with low with lead with resistance)	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/10 10:20
S71	2	"20070203407"	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/10 12:52
S72	1	S71 and (plurality with contacts)	US-PGRUB; USPAT; EPO; JPO; DERWENT	OR	ON	2010/03/10 12:52

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	8081	(electrode with resistor).clm.	USPAT; UPAD	OR	ON	2010/08/11 13:49
L9	1256	8 and (sensor or biosensor)	USPAT; UPAD	OR	ON	2010/08/11 13:49
L10	595	8 and (sensor or biosensor).clm.	USPAT; UPAD	OR	ON	2010/08/11 13:50
L11	4	8 and (biosensor).clm.	USPAT; UPAD	OR	ON	2010/08/11 13:50
L13	43	(two with part with electrode with resistor).clm.	USPAT; UPAD	OR	ON	2010/08/11 13:51
L14	3405	204/401,403.1-403.14,409,406.06,412,411,416-418.ccls. or 205/775,778,792,789,775.5.ccls.	USPAT; UPAD	OR	ON	2010/08/11 13:54
L15	606	14 and resistor	USPAT; UPAD	OR	ON	2010/08/11 13:54
L16	40	14 and (counter with electrode with resistor)	USPAT; UPAD	OR	ON	2010/08/11 13:55
L18	5	14 and (fill with electrode with resistor)	USPAT; UPAD	OR	ON	2010/08/11 14:12
L19	0	"20020170825"	USPAT; UPAD	OR	ON	2010/08/11 14:56

8/ 11/ 2010 4:05:41 PM

C:\Documents and Settings\JDI ETERLE\My Documents\EAST\Workspaces\ 10590834.wsp